



Manli GeForce® GTX 1660 Ti Series

25 February, 2019 – Manli Technology Group Limited, the major Graphics Cards, and other components manufacturer, today announced the brand new 16 series graphics solution, Manli GeForce® GTX 1660 Ti with two options: Single Fan and Blower Fan.

Manli GeForce® GTX 1660 Ti is equipped with the world's fastest memory, 6GB of GDDR6, and 192bit memory controller. For the base clock is at 1500MHz which can dynamically boost up to 1770MHz to deliver smooth and fast gaming experience. Meanwhile, it is packed with award-winning NVIDIA Turing™ architecture, adaptive shading technology, and NVIDIA Ansel which delivers super resolution of images.

Manli GeForce® GTX 1660 Ti with Single Fan

- 8cm Single Fan
- Aluminum with Implanted Copper Core



Manli GeForce® GTX 1660 Ti with Blower Fan

- Propitious Cloud Pattern Cooler Cover Design
- Dual Ball Bearing

萬利達科技集團有限公司 Manli Technology Group Limited

10350 台北市大同區南京西路278號12樓
12F, No.278, Nanjing W. Rd., Datong District, Taipei City 10350, Taiwan R.O.C.
Tel : +886-2-2555-8881 Fax : +886-2-2555-5829 Website : www.manli.com

Specifications

		
Product Name	Manli GeForce® GTX 1660 Ti	
Model Name	M-NGTX1660TI/6REHDP-M1431	M-NGTX1660TI/6REHDP-M1432
Chipset Name	GeForce® GTX 1660 Ti	
CUDA Cores	1536	
Memory Configuration	6GB GDDR6	
Memory Interface	192-bit	
Base Clock / Boost Clock	1500 / 1770MHz	
Memory Speed	12Gbps	
Cooling Design	Heatsink with Fan	Heatsink with Blower Fan
Output Ports	DisplayPort, HDMI, dual-link DVI	
Power Connectors	1 x 8-pin	
Box Dimension	321 x 170 x 90mm	

Main Features

- > Based on Turing Architecture
- > NVIDIA® GeForce Experience™
- > NVIDIA Ansel
- > NVIDIA Highlights
- > NVIDIA G-SYNC™ Compatible
- > Game Ready Drivers
- > Microsoft® DirectX® 12 API, Vulkan API, OpenGL 4/5
- > DisplayPort 1.4a, HDMI 2.0b, dual-link DVI
- > HDCP 2.2
- > NVIDIA® GPU Boost™
- > VR Ready

萬利達科技集團有限公司 Manli Technology Group Limited

10350 台北市大同區南京西路278號12樓
 12F, No.278, Nanjing W. Rd., Datong District, Taipei City 10350, Taiwan R.O.C.
 Tel : +886-2-2555-8881 Fax : +886-2-2555-5829 Website : www.manli.com

System Requirements

- > PCI Express-compliant motherboard with one dual-width x16 graphics slot
- > One 8-pin supplementary power connector
- > 450 W or greater system power supply
- > 1.5 GB available hard-disk space
- > 8 GB system memory (16GB recommended)
- > Microsoft® Windows® 10 64-bit (April 2018 Update or later), Windows® 7 64-bit, Linux 64-bit
- > DVD-ROM drive or Internet connection



* The above information shows the general technical specifications of the product and does not represent actual configuration. For specific configurations and their availability, please check with your local distributors.

--- End---

萬利達科技集團有限公司 Manli Technology Group Limited

10350 台北市大同區南京西路278號12樓
12F, No.278, Nanjing W. Rd., Datong District, Taipei City 10350, Taiwan R.O.C.
Tel : +886-2-2555-8881 Fax : +886-2-2555-5829 Website : www.manli.com



About Manli Technology Group Limited

Established in 1996, Manli Technology has been one of major manufacturer and exporter of Graphics Cards and other components. Headquartered in Hong Kong, Manli's branches and facilities continue to expand into China, Korea, Europe, and Middle East.

For more information, please visit <http://www.manli.com>

Media Contacts

Erin Wang

Manli Technology Group Limited

Tel: (886) 2 – 2555 8881 # 61

Fax: (886) 2 – 2555 5829

Email: marketing@manli.com.hk

萬利達科技集團有限公司 Manli Technology Group Limited

10350 台北市大同區南京西路278號12樓
12F, No.278, Nanjing W. Rd., Datong District, Taipei City 10350, Taiwan R.O.C.
Tel : +886-2-2555-8881 Fax : +886-2-2555-5829 Website : www.manli.com